

MFC 납품실적(2024)

Delivery performance

No.	업체명	모델
1	두산퓨얼셀	MCR-250SLPM-D-DB9M-485-40*55-NO/CM, 'RIN, CIN, GAS:95.9% CH4+2% C2H6+'0.8% CO2+0.5% N2+0.4% C3H8+'0.4% nC4H10, RANGE(3 g/s), P1:28.89 kPaG, P2:17.16 kPaG
2	강원대학교	MC-1SLPM-D-PCV10/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1: 1~10barG, P2: ATM
		MC-1SLPM-D-PCV10/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 1~10barG, P2: ATM
3	성균관대학교	LCR-1LPM-D/CV, RIN, CIN, LVD, TOT, P1: 1~2barG, P2: ATM, DS
4	서강대학교	MC-5SLPM-D/5M, RIN, 5IN, GAS:CO, RANGE(3000SCCM), P1:2barG, P2:ATM
5	에너지공과대학교	MCS-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:Air, TOT, P1:1barG, P2:ATM
6	원자력연구원	MC-100SCCM-D-PCV03/5M, RIN, 5IN, GAS:He, LVD, TOT, P1:1~2barG, P2:ATM
7	KATECH	M-5SLPM-D/5M, GAS:H2, TOT, P2: 3~5barG
8	서울대	M-100SCCM-D/5M, GAS:CO2, TOT, P2: 1barG
		MC-100SCCM-D/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1:4barG, P2:ATM
9	K-FUELCCELL	MCP-50SLPM-D-485/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1: 0~3barG, P2: 0~2.5barG
10	기계연구원	MCP-50SLPM-D/CM, RIN, CIN, GAS:N2, RANGE(60SLPM), LVD, TOT, P1: 3~7barG, P2: ATM
11	KFE	MC-500SCCM-D-.25VCRM-PCV10/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1:1~2barG, P2:VAC, DS
12	K-FUELCCELL	M-50SLPM-D-485/5M, GAS:Air, TOT, P2:0~3barG
13	카이스트	MC-200SCCM-D-PCV03/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1:1barG, P2:ATM
14	범한퓨얼셀	M-100SLPM-D/CM, GAS:O2, TOT, P2: 0~10barG
		M-100SLPM-D/CM, GAS:H2, TOT, P2: 0~10barG
		M-100SLPM-D/CM, GAS:N2, TOT, P2: 0~10barG
15	서강대학교	MC-5SLPM-D-PCV30/5M, RIN, 5IN, GAS:CO, RANGE(3000SCCM), P1:2barG, P2:ATM
16	광주과기원	MCS-1SLPM-D
17	KENTECH	MCS-200SCCM-D/5M, RIN, 5IN, GAS:H2S, LVD, TOT, P1: 0~10 barG, P2:ATM, DS
18	써모피셔	PCU-5SLPM-50SLPM-250SLPM-6MM-6MM-10MM/GAS:Air,RANGE3(300SLPM), TOT, HC
19	광운대학교	MCP-50SLPM-RDE/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:2~3barG, P2:VAC, DS
20	한국과학기술원	MC-10SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:Xe, LVD, TOT, P1:1.1~1.2barG, P2:0.1mTorrA, DS
21	Vinatech	MC-2SLPM-D-PCV10/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1: 7barG, P2: 0~3.5barG
		MC-2SLPM-D-PCV10/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 7barG, P2: 0~3.5barG
		MC-5SLPM-D-PCV30/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1: 7barG, P2: 0~3.5barG

No.	업체명	모델
22	KATECH	MCRH-5000SLPM-D-67*86-PAR/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1: 7barG, P2: 0~3.5barG
		MCR-1000SLPM-D-20*124/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 7barG, P2: 0~3.5barG
23	Hyundai oilbank	M-20SLPM-D/5M, GAS:H2, TOT, P2: 10barG
		M-10SLPM-D/5M, GAS:O2, TOT, P2: 10barG
		MC-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 7barG, P2: 0~3.5barG
		MC-5SLPM-D-PCV30/5M, RIN, 5IN, GAS:H2, RANGE(6SALPM), LVD, TOT, P1: 7barG, P2: 0~3.5barG
24	KRICT	M-500SCCM-D/5M, GAS:O2, RANGE(600SCCM), TOT, P2:10barG
		M-1SLPM-D/5M, GAS:H2, RANGE(1200SCCM), TOT, P2: 10barG
25	한국유미코아	MC-5SLPM-D-PCV30/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1: 4~5barG, P2: 0~3.5barG
		MC-5SLPM-D-PCV30/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 4~5barG, P2: 0~3.5barG
		MC-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1: 4~5barG, P2: 0~3.5barG
		MC-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:O2, LVD, TOT, P1: 4~5barG, P2: 0~3.5barG
26	부산대학교	MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1: 1~2 barG, P2: 1barG
27	한국에너지공과대학	MC-100SCCM-D-PCV03/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1: 0~4barG, P2: 0~0.5barG
		MC-100SCCM-D-PCV03/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 0~7barG, P2: 0~0.5barG
28	울산대학교	MC-20SLPM-D-485-PCV30/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1: 0~10 barG, P2:ATM
29	충남대학교	MCRQ-1000SLPM-D-20*124/5M, RIN, 5IN, GAS:Air, LVD, MCRQ-1000SLPM-D-20*124/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:10~15barG, P2: 1barG
		MCRQ-500SLPM-D-20*63/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:10~15barG, P2: 1barG
		MQ-2000SLPM-D/5M, GAS:Air, TOT, P2:10~15barG
30	에스퓨얼셀	M-5SLPM-D/5M, GAS:NatG-2, TOT, P2:1barG
		M-20SLPM-D/5M, GAS:NatG-2, RANGE(25SLPM), TOT, P2:1barG
31	한국원자력연구원	MC-500SCCM-D/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:2~3barG, P2:ATM
32	국민대학교	MW-200SCCM-D/5M, GAS:Ar, TOT, P2: 1barG
33	서울대학교 산학협력단	MC-50SCCM-D-PCV03/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1: 1~2barG, P2:ATM
		MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1: 1~2barG, P2:ATM
34	KAERI	MC-5SCCM-D-EIP-.25COMP-PCV03/GAS:H2, LVD, TOT, P1:0.1barG, P2:ATM
35	한양대학교	MC-50SCCM-D-485-PCV03/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1:0~3barG, P2:0~2barG
36	KATECH	MCRH-5000SLPM-D-PAR/5M, RIN, 5IN, GAS:Air, RANGE(6000SLPM), LVD, TOT, P1:3~4barG, P2:0~3.5barG,DS

No.	업체명	모델
37	송실대학교	MC-1SLPM-D-485/5M, RIN, 5IN, GAS:CH4, LVD, TOT, P1:1~4barG, P2:ATM
38	한국과학기술연구원	MS-1SLPM-D/5M, GASA:NH3, RANGE(1000SCCM), TOT, P2:0.5barG
39	KIFE	MCP-50SLPM-D/5M, RIN, 5IN, GAS:Ne, LVD, TOT, P1:1barG, P2:0.8mbarG
40	한화	MC-500SCCM-D/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:2~3barG, P2:ATM
41	서울대학교	BB9-232
		MCP-50SLPM-D/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:50~100PSIG, P2:15~50PSIG
		MCP-100SLPM-D/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:50~100PSIG, P2:15~50PSIG
		MC-20SLPM-D-PCV50/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:50~100PSIG, P2:15~50PSIG
42	한국공학대학교	M-10SLPM-D/5M, GAS:H2, RANGE(8SLPM), TOT
		M-200SCCM-D/5M, GAS:H2, TOT
43	한국원자력연구원	MC-10SLPM-D/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:1~2barG, P2:ATM
44	성균관대학교	MC-50SCCM-D-PCV03/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:1barG, P2:ATM
45	대구경북과학기술원	MC-100SCCM-D-PCV03/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1:5barG, P2:1barG
46	한국원자력연구원	MC-100SCCM-D-PCV03/5M, RIN, 5IN, GAS:He, LVD, TOT, P1:1~2barG, P2:ATM
		MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:He, LVD, TOT, P1:1~2barG, P2:ATM
47	머크주식회사	MB-20SLPM-D/GASA:Air, TOT, P2:4barG
		MB-100SLPM-D/GASA:Air, TOT, P2:4barG
48	골든플랫폼	M-250SLPM-D/CM, GAS:N2, RANGE(200SLPM), P2:0.2barG
49	서울대학교	M-5SLPM-D/CM, GAS:N2, P2:0.2barG PCS-100PSIG-D/5P, RIN, 5IN, RANGE(10barG), FLOW(100SCCM, NH3), LVD, DS
50	Edwardskorea	M-100SLPM-D/5M, GAS:Air, TOT, P2:1barG
51	KETG	MCRS-500SLPM-D-20*124/5M, RIN, 5IN, GAS:N2+Toluene, RANGE(400SLPM), TOT, P1: 1~2barG, P2:ATM
		MCRS-500SLPM-D-20*124/5M, RIN, 5IN, GAS:NH3, RANGE(400SLPM), TOT, P1: 1~2barG, P2:ATM
		MCR-500SLPM-D-40*55/5M, RIN, 5IN, GAS:CO2, RANGE(400SLPM), TOT, P1: 1~2barG, P2:ATM
52	한국항공대학교	MCR-1000SLPM-D-20*124/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:0~10barG, P2:0~5barG
53	SAMSUNG DISPLAY	P-30PSIG-D/5P

No.	업체명	모델
54	충남대학교	MC-200SCCM-D-PCV10-.25VCRM/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1~2barG, P2:VAC, DS
		MCS-200SCCM-D-PCA13-.25VCRM/5M, RIN, 5IN, GAS:R14, LVD, TOT, P1:1barG, P2:VAC, DS
		MCS-10SCCM-D-PCA11-.25VCRM/5M, RIN, 5IN, GAS:R-14, LVD, TOT, P1:1barG, P2:VAC, DS
55	아주대학교	MCS-10SCCM-RD-DB9M-PCV03-.25VCRM/5M, RIN, 5IN, GAS:H2S, TOT, P1:0.5 ~ 1barA, P2:VAC, DS, RD: 7feet(2.1meter)
56	울산대학교	M-100SCCM-D/CM, GAS:CO2, TOT, P2:0.2~0.4 barG
		MC-100SCCM-D/CM, RIN, CIN, GAS:CO2, LVD, TOT, P1:0.2~0.4 barG, P2: ATM
57	KORENS	M-1SCCM-D/5M, GAS:Air, TOT, P2:1.4barG
58	전북대학교	BC-100L-N2V25N-00FV18
		MC-100SCCM-D/5M, RIN, 5IN, GAS:Ethylene, LVD, TOT, P1:1barG, P2:ATM
		BC-EVALKIT Cable
59	한국과학기술원	MC-20SCCM-D-.25VCRM/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:3barG, P2:2barG, DS
		MC-200SCCM-D-.25VCRM/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:3barG, P2:2barG, DS
60	사이텍코리아	M-500SCCM-D-SG/5M, GAS:O2, TOT, P2:5barG
		M-1SLPM-D-SG/5M, GAS:H2, RANGE(1000SCCM), TOT, P2:5barG
		MC-2SLPM-D-SG/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:5barG, P2:4barG
61	한국원자력연구원	MC-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:He, LVD, TOT, P1:1~2barG, P2:ATM
62	포항산업과학연구원	MS-50SLPM-D/5M, GAS:N2 93% + Water Vapor 6% + CO2 1%, RANGE(60SLPM), TOT, P2:2barG
		MS-500SCCM-D/5M, GAS:CO2 95% + Water Vapor 5%, RANGE(1SLPM), TOT, P2:2barG
63	KATECH	M-5000SLPM-D-SG/5M, GAS:H2, RANGE(6000SLPM), TOT, P2:3.5barG
		LRV 128*27-SA
64	카이스트	MC-100SCCM-D-MODTCPIP-.25VCRM-PCV10/5M, RIN, 5IN, GAS:Xe, LVD, TOT, P1:2~4barG, P2:VAC, DS
65	한국기계연구원	KC-H210A-RCK-S0A-KA-2X-B03K USB-DB15F-PJ-232 CODA-RD3.5
66	KIER	MC-50SCCM-D-PCV03/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1barG, P2:ATM
		MC-200SCCM-D/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1barG, P2:ATM
		MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1barG, P2:ATM
67	서울대학교	MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1:1~2baeG, P2:ATM

No.	업체명	모델
68	강원대학교	MC-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1: 1~10 barG, P2:ATM
		MC-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1: 1~10 barG, P2:ATM
69	Merck	MB-5SLPM-D/GAS:Air, TOT, P2:4barG
		MB-250SLPM-D/GAS:Air, TOT, P2:4barG
70	충남대학교	MC-200SCCM-D-PCV10-.25VCRM/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1~2barG, P2:VAC, DS
		MCS-200SCCM-D-PCA13-.25VCRM/5M, RIN, 5IN, GAS:R ϕ 14, LVD, TOT, P1:1barG, P2:VAC, DS
		MCS-10SCCM-D-PCA11-.25VCRM/5M, RIN, 5IN, GAS:R-14, LVD, TOT, P1:1barG, P2:VAC, DS
71	카이스트	M-5SLPM-D/5M, GAS:Air, RANGE(3SLPM), TOT, P2:1 barG
72	Korea Finetherm	MC-500SCCM-D/5M, RIN, 5IN, GAS:CO, LVD, TOT
		MC-500SCCM-D/5M, RIN, 5IN, GAS:C2H4, LVD, TOT
73	한국항공우주연구원	MCRHQ-5000SLPM-D-40*55-PAR/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:12~13barG, P2:ATM, DS
74	중앙대학교	MC-500SCCM-D-.25VCRM-PCV10/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1~2barG, P2:VAC~5TorrA, DS
		MC-10SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:H2,LVD, TOT, P1:1~2barG, P2:VAC~5TorrA, DS
		MC-10SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1barG, P2:50~500mTorrA, DS
		MC-1SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:Ar, LVD,TOT, P1:0.1~0.5barG, P2:50~500mTorrA, DS
75	KORENS	M-10SCCM-D/CM, GAS:Air, TOT, P2:1barG
		M-20SCCM-D/CM, GAS:Air, TOT, P2:250kPaG
		M-2SLPM-D/CM, GAS:Air, TOT, P2:1barG
76	Corning	M-50SLPM-D-EIP-IPJ
77	한국환경조사평가원	M-1SLPM-D/5M, GAS:Air, TOT
		M-200SCCM-D/5M, GAS:Air, TOT
78	경기대학교	M-1000SLPM-D/CM, GAS:H2, RANGE(5kg/h), TOT, P2:1~3barG
79	KORENS	M-2SLPM-D/CM, GAS:Air, TOT, P2:1barG
80	대진대학교	MCRS-2000SLPM-D-67*86-PAR-EPDM/5M, RIN, 5IN, GAS:R ϕ 32, LVD, TOT, P1:3barG, P2:ATM, DS
		MS-10SLPM-D/5M, GAS:N2, TOT, P2:3barG
81	연세대학교	MCS-5SCCM-D-PCA10/5M, RIN, 5IN, GAS:H2S, LVD, TOT, P1:2000TorrG, P2:10TorrG

No.	업체명	모델
82	KIER	MC-200SCCM-D/5M, RIN, 5IN, GAS:CO, LVD, TOT, P1:8~9barG, P2:0~7barG
		MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:H2, LVD, TOT,P1:8~9barG, P2:0~7barG
		MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:N2, LVD, TOT, P1:8~9barG, P2:0~7barG
		MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:CO2, LVD, TOT,P1:8~9barG, P2:0~7barG
		BB9
83	KORENS	M-5SCCM-D/5M, GAS:Air, TOT, P2:5barG
84	건국대학교	MC-2SLPM-D/5M, RIN, 5IN, GAS:CO2, LVD, TOT, P1:2~3barG, P2:ATM
		MC-5SLPM-D-PCV30/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1:5barG, P2:ATM
85	두산모빌리티이노베이션	BB9-232
86	KIER	MCR-3000SLPM-D-DB9M-485-67*86-PAR/5M, RIN, 5IN, GAS:O2, LVD, TOT, P1:4~6barG, P2:ATM, DS
		MCRH-5000SLPM-D-DB9M-485-67*86-PAR/5M, RIN, 5IN, GAS:O2, LVD, TOT, P1:4~6barG, P2:ATM, DS
		MCRH-5000SLPM-D-DB9M-485-128*27-PAR/5M, RIN, 5IN, GAS:NatG-2, LVD, TOT, P1:0.6barG, P2:ATM, DS
87	LG Chemical	MCR-3000SLPM-D-128*27-PAR/CM, RIN, CIN, GAS:Air, RANGE(3400SLPM), LVD, TOT, P1:1.5barG, P2:0.5barG, DS
		MCR-1000SLPM-D-67*86-PAR/CM, RIN, CIN, GAS:O2, RANGE(1200SLPM), LVD, TOT, P1:1.5barG, P2:0.5barG
		MCR-1000SLPM-D-67*51-PAR/CM, RIN, CIN, GAS:N2, RANGE(1200SLPM), LVD, TOT, P1:1.5barG, P2:0.5barG
88	NIER	MB-50SCCM-D/GAS:Air, TOT
89	아주대학교	MCS-10SCCM-D-.125NPT/5M, RIN, 5IN, GAS:Ar
		MC-10SCCM-D-.125NPT/5M, RIN, 5IN, GAS:Ar, DS
		MC-100SCCM-D/5M, RIN, 5IN, GAS:H2, DS
		MC-2SLPM-D/5M, RIN, 5IN, GAS:Ar, RANGE(2000 SCCM),DS
		PC-30PSIA-D-PCV30/5P, RIN, 5IN, GAS:Ar, RANGE(1500torr), FLOW(100SCCM)
		BB9-232
90	NIER	MB-200SCCM-D/GAS:N2, TOT
		M-100SLPM-D-DB9M-485/5M, GAS:Air, TOT, P2: 5barG
		MCP-50SLPM-D-DB9M-485/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1: 5barG, P2: 0~ 4.5 barG
91	광주과학기술원	MCS-10SCCM-D-PCA10/5M, RIN, 5IN, GAS:1% SO2 + 99% N2, LVD, TOT, P1:3~5barG, P2:ATM, DS
92	한국기계연구원	MCS-10SLPM-D-PCV30/5M, RIN, 5IN, GAS:NH3, LVD, TOT, P1:3~4barG, P2:ATM, DS

No.	업체명	모델
93	한국과학기술연구원	MS-10SLPM-D/5M, GAS:NH3, TOT, P2: 0~10barG
94	한국기초과학연구원	MC-50SCCM-D-.25VCRM/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1bar, P2:250 Torr
		PC-30PSIA-D-.25VCRM-PCV10/5P, RIN, 5IN, RANGE(10~1000 TorrA), P1: 500~1500torrA, P2: 300~1000torrA, FLOW(50SCCM, Ar), LVD, DS
95	한국기계연구원	MCS-20SLPM-D-PCV50/5M, RIN, 5IN, GAS:NH3, RANGE(15SLPM), LVD, TOT, P1:3barG, P2:1barG, DS
		MCP-50SLPM-D/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:50~100PSIG, P2:15~50PSIG
		MCP-100SLPM-D/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:50~100PSIG, P2:15~50PSIG
96	서울대학교	PB-15PSIG-D/RANGE(1barG)
97	한화에너지	M-5SLPM-D/5M, GAS:N2, TOT, P2:1~8barG
98	유니버설디스플레이코리아	MB-20SLPM-D/GAS:N2, TOT, P2:2~3barG
99	표준과학연구원	MC-500SCCM-D-PCV10/5M, RIN, 5IN, GAS:Air, LVD, TOT, P1:1~2barG, P2:ATM
100	항공대학교	MCRH-5000SLPM-D-PAR/5M, RIN, 5IN, GAS:Air, RANGE(6000SLPM), LVD, TOT, P1:4~8barG, P2:0~2barG, DS
101	한화에너지	MWB-5SLPM-D/GAS:He, TOT, P2:1~2barG
102	인하대학교	MCR-1000SLPM-D-DB9M-.75VCRM-67*86/CM, RIN, CIN, GAS:N2, LVD, TOT, P1:1~10 barG, P2:ATM
103	충남대학교	MC-500SCCM-D-.25VCRM-PCV10/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1~2barG, P2:VAC~5TorrA, DS
		MC-10SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:H2, LVD, TOT, P1:1~2barG, P2:VAC~5TorrA, DS
		MC-10SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:Ar, LVD, TOT, P1:1barG, P2:50~500mTorrA, DS
		MC-1SCCM-D-.25VCRM-PCV03/5M, RIN, 5IN, GAS:Ar, LVD,TOT, P1:0.1~0.5barG, P2:50~500mTorrA, DS

위 납품실적 내용은 사실과 틀림이 없음



기체 & 액체 & 스팀용 질량유량계 & 계측기
전문 제조

전국 대리점

Certified in accordance with

KC Q ISO 9001 : 2015

KC Q ISO 14001 : 2015

(주)골든룰